

Shilajatu The Panacea: A Review

Debasis Panigrahi^{1*} and P.Suresh²

*

¹Rasashastra & B.K, SSN Ayurvedic College & RI, Nrusinghnath, Odisha, India

²Rasashastra & B. K, National Institute of Ayurveda, Jaipur, India,

Received: June 2014/ Published: August 2014



Greentree Group

©International Journal of Ayurveda and Pharmaceutical Chemistry, 2014

Debasis et al

✉ devayul@gmail.com

Int J Ayu Pharm Chem Vol. 1, Issue 1, 2014

Abstract

Shilajatu is one of the most essential raw materials among various rasa dravyas described. It has been greatly acclaimed in classical as well as rasa literature as rasayan and extensively used in practice in the form of rejuvenating agent. In the present study the extracts of various classical and contemporary outcome regarding the shilajatu has been reviewed.

Keywords

Shilajatu, Rasayan and Rejuvenator

INTRODUCTION

Shilajatu is perhaps the most potent rejuvenator and antiaging block buster ever known to mankind. Attributed with many magical properties Shilajatu is found predominately in Himalayan region bordering India, China, Tibet and parts of central Asia. Among the different Rasa dravyas mentioned in the context of Rasayana in Brihatrayi no drug has been given so much importance as Shilajatu ^[1]. The followers of Rasa-shastra supports this view by considering Shilajatu to possess all the properties and actions of Maharasa, Uparasa, Suta, Ratna and lauha's ^[2] (group of minerals, stones, metals & nonmetals used in ayurveda as medicine)

Aims & Objectives

The main aim & object of the study is to review the scattered references regarding shilajatu across the literature and arrange systematically.

MATERIALS AND METHODS

An effort was made to collect and compile all the references spread across the literature and the various researches that have been done based on shilajatu and present in systematic pattern

Classical Categorization

- *Parthiva Dravya* ^[3]
- *Ushakadi Gana* ^[4-6]
- *Dhatwadi Varga* ^[7]

Categorization based on Rasa-Shastra literature

According to *Rasashastra*, *Shilajatu* is categorized in various groups as follows:

Maha Rasa Group – *Rasa hrudaya Tantra* 9/4, *Rasarnava* 7/54, *Rasendra Chudamani* 10/1, *Rasa Prakash Sudhakara* 5/2, *Rasa Ratna Sammuchaya* 2/1, *Goraksha Samhita*, *Rasa Paddhati* Verse no 38, *Rasopanishad* 4/4

Upa Rasa- *Anandakanda Kriyakarana Vishranti* 1/48, *Rasa Manjari* 3/2, *Ayurveda*

Prakash 2/349, Brihat Yoga Tarangini 43/2, Rasa Jala Nidhi Vol 2

Paradadi Varga- Siddha Bhesaja Manimala
2/314

Shilajatu in Nighantu

Chandanadi Varga - Dhanwantari Nighantu (3/146) , Sodhala Nighantu (Verse No 463) , Suvarnadi Varga - Madan Pal Nighantu (4/48-49) , Madan Vinod Nighantu (4/68) , Dhatu Varga - Kaiyadeva Nighantu (Verse 63-64) , Bhava Prakash Nighantu (Verse No 80) , Uparasa/Mishrakadi Varga - Raja Nighantu (Verse no 54) , Dhatu-upadhatu

Rasa Shastra (Table 1)

S. No.	Classic	Varieties
1	Rasarnava 7/18	Patita & Apatita
2	Rasendra Chudamani 10/95	Gomutrahwa(sub divided as Sa-sara & Nih-sara) & Karpurahwa
3	Rasa Paddhati verse 73	Achalodbhava (sub divided as Sa-satwa & Ni-satwa) & Usharodbhava
4	Rasaponishada 4/14	Tamra varna, Krishna-anjana Prabha & Shankha nibha

On the basis of Shodhan

1. Suryatapi- purified in association with solar heat
2. Agnitapi – purified in association with thermal heat

Unani ^[36]

Natural -:

1. Momiai kani or maadni i.e Shilajit pharsi
2. Momiai hazri i.e stone of Shilajit

Artificial -:

Varga - Shaligram Nighantu (Pg 575-577) , Upadhatu Varga - Ayurveda Chintamani (7/11) , Vividhaushadhi Varga - Madhava Dravyaguna (1/145)

Varities of Shilajatu

Samhita

Shilajatu has been classified into six types since *Samhita* period while *Shivadas sen* ^[8] has included two more types to give a total of eight; *Suvarna* (Gold), *Rajata*(Silver), *Tamra*(Copper), *Lauha*(Iron), *Vanga*(Tin), *Naga*(Lead) ,*Manashila*(Arsenic Sulphate) and *Gairika*(Hematite).

1. Momiai haivani

2. Momiai Shairi

3. Momiai Tarkibi

Purification -:

1. Shilajit Aaphtabi (suryatapi)

2. Shilajit Aatashi (agnitapi)

Classical characteristics of Shilajatu ^{[37,}

^{38]}

- Gomutra Gandhi (smells like cow urine)

- Krishna varna (black in colour)
- Guggulabha (appearance like Commiphora wighti)
- Vi-sharkara (devoid of any foreign matter like any dust, sand, stone etc)
- Mritsna (greasy)
- Snigdha (Unctuous)
- Anamla & Kashaya (should not be sour and must be astringent in taste)
- Mridu & Guru (soft and heavy)

General properties of Shilajatu (Table 2)

Variety	Rasa	Guna	Vriya	Vipaka	Dosakarma
<i>Svarna</i> ^[9]	<i>Madhura, Kasaya</i>	--	<i>Sheeta</i>	<i>Madhura</i>	--
<i>Rjat</i> ^[10]	<i>Kasaya, Amla</i>	<i>Snigdha</i>	<i>Sheeta</i>	<i>Madhura</i>	<i>Pitta vata hara</i>
<i>Tamra</i> ^[11]	<i>Kasaya, Tikta, Madhura, Katu</i>	<i>Laghu</i>	<i>Sheeta</i>	<i>Katu</i>	<i>Kapha Pitta hara</i>
<i>Lauha</i> ^[12]	<i>Kasaya, Madhura, tikata</i>	--	<i>Sheeta</i>	--	<i>Kapha hara</i>
<i>Vanga</i> ^[13]	<i>Tikta, Lavana</i>	--	--	--	<i>Vata hara</i>
<i>Naga</i> ^[13]	<i>Tikta, Lavana</i>	--	--	---	<i>Vata hara</i>

Characters of purified Shilajatu ^[44,45]

- Nirdhuma (burns without smoke over fire)
- Lingakar (Erect just like snake or cylindrical shape over fire)
- Salileapya Vilina (leaves line like thread while settling when placed in water)
- Malina (blakish or off colour)

Therapeutic Indications

Shilajatu by appropriate use acts as *Rasayana (Anti Oxidant), Vajikarana (Aphrodisiacs) and Rogahara* ^[14]. According to *Vagbhat* ^[15] there is no *Sadhya rupa Vyadhi* (curable disease/condition as well as

kricchra sadhya- curable with difficulty) that cannot be treated by *Shilajatu*.

Chemical Characteristics

Shilajatu is a native from the Himalayan region, home to rich plant life right from the prehistoric time. The plants absorb various nutrients and minerals from the soil to form rich and green vegetation. The life span of trees and plants in that particular region extends to some hundred and even thousands of years. After their life span the plants decomposes in earth along with the minerals and this process continued over a period of many centuries. These remains of the plant life in the specific climatic condition and altitude of Himalayas formed the mineral pitch known as *Shilajatu*. *Shilajatu* contains more than 85 minerals ^[16]

(ionic form) and Fulvic acid. The results of analysis (Table 3) showed that Shilajatu is

composed of the following substances^[17, 18].

Table 3 Analysis of *Shilajatu*

S. No.	Organic Constituents	Crude <i>Shilajatu</i>	Purified <i>Shilajatu</i>
1.	Moisture	12.54	29.03
2	Benzoic acid	06.82	08.58
3	Hippuric acid	05.53	06.13
4	Fatty acids	02.01	01.30
5	Resin and waxy matter	03.28	02.44
6	Gums	15.59	17.32
7	Albuminoids	19.61	16.12
Inorganic Constituents			
8	Ash	22.88	18.34
9	Silica	4.60	02.69
10	Iron (Fe ₂ O ₃)	00.51	00.64
11	Alumina (Al ₂ O ₃)	02.26	02.61
12	Lime(CaO)	06.83	04.82
13	Magnesia (MgO)	01.20	01.20
14	Potash (K ₂ O)	04.60	03.81
15	Sulphuric acid	00.64	00.97
16	Chloride	00.26	00.57
17	Phosphoric acid	00.28	00.24
18	Nitrogen	03.64	03.36

According to Dr. Michael Hartman^[19] the primary active ingredients in *Shilajatu* are as follows:

- Fulvic acid
- Humic acid
- Humin

- Dibenzo alpha pyrons(DBP)
- Trace minerals

The phytochemical investigation of Shilajit has six new compounds^[20] named a- shilajityl acetate, shilajitol, shilacatechol, shilaxanthone, shilanthranil and naphshilajatuone along with pyrocatechol and their stereo-structures

have been elucidated correspondingly as 4a, 5a, 6a-trihydroxygeranyl acetate, 6-(9, 9-dimethylbutyl) phenol, 1-cyclohexyl-3, 4-dihydroxybenzene, 2, 3, 12, 13-tetrahydroxy-10, 15-[a,f]-phenylxanth-

Chemistry of Shilajatu Odour ^[21] (Table 4)

Ghosal et al have isolated high and moderately volatile constituents of *Shilajatu* as -

Compounds contributing to odour of <i>Silajatu (Go mutra Gandha)</i> ^[17]	Fixators (Responsible for fixing the odour)
2-ethyl hexanoic acid, M- & P-cersol, ³ / ₄ ethyl phenol, naphthalene, benzothiazoles, 2-4 dimethyl quinoline, 2,4-bis-phenol.	High M, aliphatic hydrocarbons alkanal, alkanols, triglyceridies, benthiazole, phospholipids, 2-4-dimethylisoquinoline.

Biological activity

- *Shilajatu* is a potent free radical scavenger due to its Antioxidant activity ^[22-25,17]
- Besedovsky et al, reported influence on endocrine, autonomic, and brain functional changes. Discovery says that these changes can be mediated by cytokines, released by activated immunologic cells ^[26]
- Hikino et al, reported immunomodulator activity ^[27,28]
- Ghosal et al, reported *Shilajatu* produced significant effects against restraint stress-induced ulcers ^[29]
- Anti-stress activity and rejuvenator ^[30]

17-one, 2, 3, 13, 14-tetrahydroxy-15, 16-[a,f]-phenyl-7H-anthracen-18-one and 3-hydroxynaphthalenyl-6,7-g-lactone on the basis of chemical data analyses and chemical reactions.

- Salil et al, reported *Shilajatu* attenuates streptozotocin induced diabetes mellitus and decrease in pancreatic islet superoxide dismutase activity in rats. ^[31]

Adulteration and substitution

No substitution is found for *Shilajatu* even on *Abhava varga* of *Yoga Ratnakara* ^[32] and *Pratinidhi dravya varga* of *Bhava prakash (Mishra Prakarana)*. But following adulteration reference could be found-

- Sand, Gum, Feces of Goat and Bitumen. ^[33]
- Mixed with Gum of Vanjha. ^[33]
- Alum earth of Nepal which is sold in Calcutta as white *Shilajatu*. ^[34]
- A product called *Momia* resembling *Shilajatu* is obtained from some of

the mountains in Arabia and Persia.
[34]

- Substances used as Shilajatu in Nepal, Bihar and Bengal in 1844 which on analysis was found to be Aluminium sulphate. [35]
- According to Prof. L.K Dwivedi, former HOD Rasashastra & B K Dept, NIA Shilajatu rock, Neem, Guduchi, Vasa, Bhringaraj, Ghritakumari, Indrayava, Triphala, Gomutra, Karpura shilajatu, Mud of pond and some other substances are mixed together and sold as Shilajatu.

Dose of Shilajatu

Ayurvedic classics always advise that the dose of a drug should be adjusted according to the digestive capacity, environment, age, degree of aggravating dosha & stage of disease etc. Charaka [1] & Vagbhatta [39] recommended following doses form for Rasayana purpose (Table 4).

- Sushruta in the context of Diabetics' advised one tula (4.8 kg) of shilajatu [40]
- According to Rasendra sara samraha 2-8 gunja (250-1000mg) [41]
- Unani Dravyaguna Adrsha advises for 4 ratti -1 Masha (500-1000mg) [36]

Table 4 Dose and duration of Shilajatu

S No	Administration type	Duration	Doses
------	---------------------	----------	-------

1	Pravara (maximum)	7 Weeks	1 pala(48 gms)
2	Madhyama (Intermediate)	3 Weeks	¹ / ₂ pala (24 gms)
3	Avara (Minimum)	1 Week	1 karsha (12 gms)

Impure Shilajatu effects & treatment

[42,43]

If unfortunately unpurified Shilajatu is administrated then following side effects may be seen: Daha (generalized burning sensation/peripheral neuritis), Murcha (syncope), Bharna (vertigo), Raktapitta (bleeding tendencies), Agnimandya (indigestion) etc.

The management ought to be: Maricha (Black Pepper) in a dose of 3 gm with cow ghee for 7 days.

Toxicity^[17]

Shilajatu did not produce any morbidity in Albino mice up to a dose of 1gm/kg body weight.

CONCLUSION

In classics shilajatu has been greatly acclaimed not only as rasayan but also the curer of the hardly curable disorders even. It has been included in different groups by different authors. Though the classics have

enumerated various varieties of shilajatu but commercially only two types are available. Various researchers have worked on analytical and biological effects of

shilajatu and reported that it contains Humic acid, Fulvic acid etc and is effective as an antioxidant and also against streptozotocin induced diabetes.

REFERENCES

- [1] A Shastri, Bhaishajya Ratnavali, Balrogadhikara, Chaukhambha Sanskrit Series office, Charaka samhita Chikitsa Sthana 1:3/48-65, Revised by Charaka and Dridhabala, with Hindi commentary by Dr. Brahmanand Tripathi, Vo.-II, Published by Chaukhambha Surbharti Prakashana, Varanasi, Ed.-5th, 1998.
- [2] Rasendra Chudamani 10/102, Acharya Somadeva, with Siddhiprada Hindi Commentary by Siddinandan Mishra, Chaukhambha Orientalia, Varanasi, Ed. 1st, 1984.
- [3] Charaka samhita Sutra Sthana 1/70, Revised by Charaka and Dridhabala, with Hindi commentary by Dr. Brahmanand Tripathi, Vo.-II, Published by Chaukhambha Surbharti Prakashana, Varanasi, Ed.-5th, 1998.
- [4] Susruta Samhita Sutra Sthana 38/37, Published by Chaukhambha Surbharti Prakashana, Varanasi, Ed.-5th, 1998.
- [5] Astanga Sagraha Sutra Sthana 16/15, edited by Pandit Lalchandra Shastri Viadya, Shri Vaidyanath Ayurveda Bhawan, Nagpur, Ed.-1st, 1989.
- [6] Astanga hrudaya Sutra sthana 15/23, Vidyotini Bhasa Tika by Kaviraj Atridev Gupta & Yadunandan Upadhyaya, Published by Chaukhambha Sanskrit Samsthan, Varanasi. Ed.-13th 2000.
- [7] Bhava prakash nighantu Dhatu varga, Shri Bhavamishra, Commentary by Dr. K.C. Chunekar, Chaukhambha Bharti Academy, Varanasi and Reprint-2004.
- [8] Tatwa Chandrika-Rasayanadhikara 152.
- [9] Astanga Sagraha Sutra Sthana 12/8, edited by Pandit Lalchandra Shastri Viadya, Shri Vaidyanath Ayurveda Bhawan, Nagpur, Ed.-1st, 1989.
- [10] Astanga Sagraha Sutra Sthana 12/9, edited by Pandit Lalchandra Shastri Viadya, Shri Vaidyanath Ayurveda Bhawan, Nagpur, Ed.-1st, 1989.
- [11] Astanga Sagraha Sutra Sthana 12/10, do
- [12] Astanga Sagraha Sutra Sthana 12/13, do
- [13] Astanga Sagraha Sutra Sthana 12/12, do
- [14] Charaka samhita Chikitsa Sthana 1:3/52, Revised by Charaka and Dridhabala, with Hindi commentary by Dr. Brahmanand Tripathi, Vo.-II, Published by Chaukhambha Surbharti Prakashana, Varanasi, Ed.-5th, 1998.

- [15] Astanga hrudaya uttar tantra 39/136, Vidyotini Bhasa Tika by Kaviraj Atridev Gupta & Yadunandan Upadhyaya, Published by Chaukhambha Sanskrit Samsthan, Varanasi. Ed.-13th 2000.
- [16] www.rudramani.com as seen on Aug 2007.
- [17] Srinivas-Evaluation of Rasayana Effect of Shilajatu, MD thesis 2002, NIA.
- [18] Chopra RN,Handa KL-Indigenous drug of India,1958, 2nd Edition page no 457-460.
- [19] www.drhartman.com/shilajit.htm as seen on Aug 2007.
- [20] M Ali, I Sahrawat & O Singh Indian Journal of Chemistry volume 43 B No 10 October 2004.
- [21] Ghosal S, The chemistry of Shilajit odour:Indian Jour. Of chemistry 1995,Vol-34, Page 40-44.
- [22] S. Ghosal,Oxidative stress and antioxidant defense, Phytomedica,1(1,2):1-8, Mar, 2000
- [23] S. K. Bhattacharya, Effects of Shilajit on Biogenic Free Radicals. Phyto. Res., Vol. 9, pp 56-9, 1995.
- [24] Modulation of oxidative and antioxidative status in diabetes by Asphaltum (Shilajit)panjabinum.Diabetes Care, August, 2003, by Nidhi Saxena, Upendra N. Dwivedi.
- [25] Singh RB,Rastogi SS: CHD in diabetes:pathogenesis:impact of diet and anti-oxidants.In PG Medicine of Association of Physicians of India. Vol.12. Manoria PC, Ed. 1998, p.40-49.
- [26] H.O. Besedovsky, A.E. Dei-Rey and E. Sorkin, J. Immunol., 135,750-754s (1985).
- [27] R. Bomford, Phytother Res., 2,159-164 (1988).
- [28] 28 H. Wagner and A. Proksch, Economic and Medicinal Plant Research, p. 113-153 (H. Wagner, H. Hikino and N.R. Farnsworth, Eds.), Academic, New York (1985).
- [29] S. Ghosal, S.K. Singh, Y. Kumar, R.S. Srivastava, R.K. Goel, R. Dey and S.K. Bhattacharya, Phytother. Res.,2, 187-191 (1988).
- [30] S. K. Bhattacharya , S. Ghosal **Volume 6, Issue 3 , Pages 163 - 164** [Phytotherapy Research](#)).
- [31] Salil K. Bhattacharya ,Shilajit attenuates streptozotocin induced diabetes mellitus and decrease in pancreatic islet superoxide dismutase activity in rats, Phytotherapy research,Vol 9 Issue 1,Page no 41-44.

- [32] Yoga Ratnakara page 171, Mayupada Bhikshu, with Vidyotini Hindi Commentary by Vaidya Lakshmipati Shastri, Chaukhambha Sanskrit Sansthan and Ed. - 8th, 2004.
- [33] Bharatiya Rasa shastra Viswanath Dwivedi 12th Chapter page no 279-280.
- [34] Dr. K.M. Nadkarni, Indian Meteria medica Vol.II, Bombay Popular Prakashan, 301, Mahalaxmi Chambers, Mumbai 22, 3rd Edition 1976, page 23.
- [35] Rasa Ratna Samucchaya Vigyana Bodhini Commentary Page 35, Vagbhatacharya, with Vigyana Bodhini Hindi commentary by Prof. Dattatreya Anant Kulkarni, Meharchand Lakshmandas Publication, New Delhi, Vol.I, Reprint, 1998.
- [36] Daljit Singh, Unani Dravya Gunadrasha page 207, Ayurveda Evum Tibbi Academi, Lucknow 1972.
- [37] Astanga samraha utara tantra 49/284, edited by Pandit Lalchandra Shastri Viadya, Shri Vaidyanath Ayurveda Bhawan, Nagpur, Ed.-1st, 1989.
- [38] Chakradutta page no 520, Chakrapanidutta, translated by Jagannath Sharma Vajpeyee, Khemraj Shree Krishnadas Press, 2002.
- [39] Astanga Samraha utara tantra 49/298, edited by Pandit Lalchandra Shastri Viadya, Shri Vaidyanath Ayurveda Bhawan, Nagpur, Ed.-1st, 1989.
- [40] Sushruta Samhita chi 13/13, Maharshi Sushruta, Hindi Commentary by Dr. Bhaskar Govind Ghanekar, Motilal Banarasidas, Delhi, Ed.5th, and Reprint-1997.
- [41] Rasendra Sarasamraha 1/234, Gopal Krishna Bhatt, with Satyarth, Reprint-2000.
- [42] Ayurveda prakasha 4/105, Acharya Sri Madhava, with Arthavidyotini and Arthaprakashini Sanskrit and Hindi commentaries by Shri Gulraj Sharma Mishra, Chaukhambha Bharti Academy, Varanasi, Reprint 1999.
- [43] Vishram, Anupana manjari 2/15, Ayurved Mudranalaya, Gujarat Ayurved University, Jamnagar-361008 (India), Published 1981.
- [44] Ayurveda prakasha 4/116, Acharya Sri Madhava, with Arthavidyotini and Arthaprakashini Sanskrit and Hindi commentaries by Shri Gulraj Sharma Mishra, Chaukhambha Bharti Academy, Varanasi, Reprint 1999.
- [45] Rasendra Chudamani 10/100, Acharya Somadeva, with Siddhiprada Hindi Commentary by Siddinandan Mishra, Chaukhambha Orientalia, Varanasi, Ed. 1st, 1984.
-

 devayu1@gmail.com